





__ New definition of luxury_

Our Vision

To transform ourselves into a worldwide competitive market in Bath fittings.

Our Mission

To ensure and enhance the quality of
Bath Fittings product throughout the world
by providing quality assured products.
Making Bath Fittings products from better
to best is our motto.



Quality Policy

We at Commander Polyplast are committed to consistently supply of our Products which satisfy our customer's requirement in respect to product quality and delivery by continuous improvement in Method, Resources, Employee Skill and Work Environment.



Company Profile

Commander Polyplast was established in the year 2011 with manufacturing of "PARIN" Brand uPVC Pipes and Fittings as one of the well known "COMMANDER" Diesel Engine Group of Companies. From 2015 we have started manufacturing cPVC Pipes and Fittings. and from 2017 we started Manufacturing SWR Pipes & Fittings. Commander Polyplast is certified with ISO 9001:2015 Certification and D&B.

As we are in this market from 10 years, we also know that parallel to this pipe & fittings product CP Bath Fitting also having a huge demand in India & worldwide, so we are happy to announce "Parin" Brand CP Bath Fitting with Premium & Luxury item.



Our plant is developed in a well located industrial zone. The infrastructure of our company is well planned with advanced technology. Here we have advanced technology machinery, well planned production line, technical manpower staff, and skilled labour with qualified engineers.

We here works on improving our product day by day so that we can serve our customers a good product and satisfy them. Here we believe in quality. Quality is our strength.

New definition of fuxury

Index



Page 9 - 10

Aquaria Page 11 - 12

Page 13 - 14

Florenza Page 15 - 16

Vistara Page 17 - 18

Page 19 - 20

Page 21 - 22

Skoda Page 23 - 24

- 7



Banana

Page 25 - 26

Florentine

Page 27 - 28

Silver

Page 29 - 30

Orio

Page 31 - 32

Corssa

Page 33 - 34

Universal Set

Page 36

Assembly parts

Page 37

Design & Technology

Page 38

Energy Saving Concept

Page 39

uPVC, cPVC & SWR Pipes & Fittings

Page 40 - 42



Hiyana





HI 01 Bib Cock With Wall Flange



HI 03 Angular Stop Cock With Wall Flange



HI 05 2 Way Bib Cock With Wall Flange



HI 06 Pillar Cock



HI 07 Pillar Cock With Extension Body



HI 08 Sink Cock With Swinging Spout



HI 11 Swan Neck With Swinging Spout



HI 13 Sink Mixture With Swinging Spout



HI 16 Single Lever Basin Mixture



HI 18 2 in 1 Wall Mixture With Bend



HI 19 3 in 1 Wall Mixture With Bend



HI 22 Concealed Stop Cock With Adjustable Wall Flange (15mm) (Avbl. : Heavy, Medium, Light)



HI 25 Flush Cock With Adjustable Wall Flange (25mm) (Avbl. : Heavy, Medium, Light)



HI 28 Bath Tub Spout With Wall Flange



HI 29 Bath Tub Spout With Button Attachment For Telephone Shower

New definition of luxury_



Opera





OP 01 Bib Cock With Wall Flange



OP 02 Long Body Bib Cock With Wall Flange



OP 03 Angular Stop Cock With Wall Flange



0P 04 2 Way Angular Stop Cock With Wall Flange



OP 05 2 Way Bib Cock With Wall Flange



OP 06 Pillar Cock



OP 08 Sink Cock With Swinging Spout



OP 11 Swan Neck With Swinging Spout



OP 13 Sink Mixture With Swinging Spout



| OP 18 | 2 in 1 Wall Mixture With Bend



| OP 19 | 3 in 1 Wall Mixture With Bend



OP 22 Concealed Stop Cock With Adjustable wall Flange (15mm) (Avbl. : Heavy, Medium, Light)



OP 25 Flush Cock With Adjustable Wall Flange (25mm) (Avbl. : Heavy, Medium, Light)



OP 28 Bath Tub Spout With Wall Flange



OP 29 Bath Tub Spout With Button Attachment for Telephone Shower

New definition of luxury-



Aquaria





AQ 01 Bib Cock With Wall Flange



AQ 02 Long Body Bib Cock With Wall Flange



AQ 03 Angular Stop Cock With Wall Flange



AQ 04 2 Way Angular Stop Cock With Wall Flange



AQ 05 2 Way Bib Cock With Wall Flange



AQ 06 Pillar Cock



AQ 07 Pillar Cock With Extension Body



AQ 09 Side Sink Cock With Swinging Spout



AQ 11 Swan Neck With Swinging Spout



AQ 13 Sink Mixture With Swinging Spout



AQ 15 Center Hole Basin Mixture



AQ 18 2 in 1 Wall Mixture With Bend



AQ 19 3 in 1 Wall Mixture With Bend



AQ 22 Concealed Stop Cock With Adjustable Wall Flange (15mm) (Avbl. : Heavy, Medium, Light)



AQ 25 Flush Cock With Adjustable Wall Flange (25mm) (Avbl.: Heavy, Medium, Light)



AQ 28 Bath Tub Spout With Wall Flange



AQ 29 Bath Tub Spout With Button Attachment For Telephone Shower







LI 01 Bib Cock With Wall Flange



LI 02 Long Body Bib Cock With Wall Flange



LI 03 Angular Stop Cock With Wall Flange



LI 06 Pillar cock



LI 07 Pillar Cock With Extension body



LI 08 Sink Cock With Swinging SS Spout



LI 11 Swan Neck With Swinging SS Spout



LI 13 Sink Mixture With Swinging SS spout



LI18 2 in 1 Wall Mixture With Bend



LI 19 3 in 1 Wall Mixture With Bend



LI 22 Concealed Stop with Adjustable Wall Flange (15mm) (Avbl. : Heavy, Medium, Light)



LI 25 Flush Cock With Adjustable Wall Flange (25mm) (Avbl. : Heavy, Medium, Light)

New definition of luxury_



Florenza





FL 01 Bib Cock With Wall Frange



FL 02 Long Body Bib Cock With Wall Flange



FL 03 Angular Stop Cock With Wall Flange



FL 04 2 Way Angular Stop Cock With Wall Flange



FL 05 2 Way Bib Cock With Wall flange



FL 06 Pilllar Cock



FL 07 Pillar Cock With Extension body



FL 08 Sink Cock with Swinging SS Spout



FL 11 Swan neck with swinging SS spout



FL 13 Sink mixture with swinging S.S, Spout



FL 18 2 in 1 wall mixer with bend



FL 19 3 in 1 wall mixer with bend



FL 22 Concealed stop cock with adjustable wall flange (15mm) (Avbl. : Heavy, Medium, Light)



FI 25 Flush Cock With Adjustable Wall Flange (25mm) (Avbl. : Heavy, Medium, Light)



FI 28 Bath Tub Spout With Wall Flange



FI 29 Bath Tub Spout With Button Attachment For Telephone Shower



Vistara









VIO2 Long Body Bib Cock



VI 03 Angular Stop Cock



VI 05 2 Way Bib Cock



VI 06 Pillar Cock



VI22 Concealed Stop Cock With Adjustable Wall Flange (15mm) (Avbl. : Heavy, Medium, Light)

New definition of luxuhy_



Navy









NA 02 Long Body Bib Cock



NA 03 Angular Stop Cock



NA 05 2 Way Bib Cock



NA 06 Pillar Cock



NA 22 Concealed Stop Cock With Adjustable Wall Flange (15mm) (Avbl. : Heavy, Medium, Light)



Dute





DU01 Bib Cock



DU02 Bib Cock Long Body



DU03 Angle Cock



DU04 Angle Cock 2 way



DU05 Bib Cock 2 way



DU06 Piller Cock



DU08 Sink Cock with Swivel Spout



DU11 Swan Neck with Swiel Spout



DU13 Sink Mixer with Swivel Spout



DU15 Central Hole Basin Mixer



DU016 DU017
Wall Mixer Telephonic Soft Touch
with "L" Band



DU18
Wall Mixer 3 in 1 with
Provision for Both Hand
and Overhead Shower

DU19 Soft Touch 3 in 1



DU022 Concealed Stop Cock 15mm With Adjustable Flange



DU023 Concealed Stop Cock 20mm With Adjustable Flange



DU025 Flush Cock 25mm with Adjustable Flange



Skoda





SK01 Bib Cock



SK02 Long Body



SK03 Angle Cock



SK04 Two Way Angle Cock



SK05 Two Way Bib Cock



SK06 Pillar Cock



SK08 Sink Cock



SK09 Side Sink Cock



SK11 Swan Neck



SK13 Sink Mixer



SK15 Center Hole Basin Mixer



SK18 2 in 1 Wall Mixer



SK19 3 in 1 Wall Mixer



SK22 1/2 x 3/4 Concealed Cock



SK25 Flush Cock

New definition of luxury_



Banana





BA01 Bib Cock



BA02 Long Body



BA03 Angle Cock



BA04 Two Way Angle Cock



BA05 Two Way Bib Cock



BA06 Pillar Cock



BAO8 Sink Cock



BA09 Side Sink Cock



BA11 Swan Neck



BA13 Sink Mixer



BA15 Center Hole Basin Mixer



BA18 2 in 1 Wall Mixer



BA19 3 in 1 Wall Mixer



BA22 1/2 x 3/4 Concealed Cock



BA25 Flush Cock

New definition of Luxury_



Florentine









FL02 Long Body



FLO3 Angle Cock



FLO4 Pillar Cock



FL05 2 in 1 Bib Cock



FL07 Sink Cock



FL08 Swan Neck



FL10 Concealed 15 mm



FL11 Concealed Stop Cock 20 mm



FL12 Flush Cock 25mm



FL14 2 in 1 Wall Mixer



FL15 3 in 1 Wall Mixer

New definition of luxury_



Silver





SL01 Bib Cock



SL02 Long Body



SL03 Piller Cock



SL04 Angle Cock



SL05 2 in 1 Bib Cock



SL07 Concealed Stop Cock 15 mm



SL08 Concealed Stop Cock 20 mm



SL09 Flush Cock 25 mm



SL10 Swan Neck



SL11 Sink Cock



SL17 High Neck Piller Cock



SL15 2 in 1 Wall Mixer With L-Band



SL16 3 in 1 Wall Mixer With L-Bend

New definition of luxuhy_

Orio





ORO1 Bib Cock



ORO2 Long Body



ORO3 Angle Cock



ORO4 Piller Cock



ORO5 2 in 1 Bib Cock



ORO6 2 in 1 Angle Cock



ORO7 Sink Cock



ORO8 Swan Neck



ORO9 Center Hole Basin Mixer



OR10 Concealed Stop Cock 15 mm



OR11 Concealed Stop Cock 20 mm



OR12 Flush Cock 25 mm



OR13 Sink Mixer



OR14 2 in 1 Wall Mixer



OR15 3 in 1 Wall Mixer

New definition of luxuly_



Corssa





CR01 Bib Cock



CR02 Long Body



CR03 Angle Cock



CR04 Piller Cock



CR05 2 in 1 Bib Cock



CR06 2 in 1 Angle Cock



CR07 Sink Cock



CR08 Swan Neck



CR09 Center Hole Basin Mixer



CR10 Concealed Stop Cock 20 mm



CR11 Concealed Stop Cock 15 mm



CR12 Flush Cock 25 mm



CR13 Sink Mixer



CR14 2 in 1 Wall Mixer



CR15 3 in 1 Wall Mixer







FU 27 Concealed Body For Single Lever High Flow Diverted



EL 27 Concealed Body For Single Lever High Flow Diverted



FL 27 Concealed Body For Single Lever High Flow Diverter



MP 01 Metro Pole Magnetic Flush Valve, Size 1"



Universal Set



MP 02 Metro Pole Magnetic Flush Valve, Size 1″



MP 03 : 1¹/4 (40mm) MP 04 : 1¹/₂ (50mm) Metro Pole Flush Valve (Spring Type)

Assemble parts



| 101 | 15 mm Ceramic Cartridge Regular



102 15 mm Ceramic Cartridge Concealed



103 22 mm Tipton Cartridge 3 In 1 Wall Mixture Spout



104 25 mm 2 Way Bib Cock Cartridge



105 30 mm Wall Mixture Center Lever Cartridge



106 Regular Flange Brass



107 Extenation Nipple



108 Connection Pipe



109 Waste Couplin



110 Teflon Tape



Design & Technology




The virtue of brass and gravity die casting

Soft-water corrosion and hard-water calcification are two biggest enemies for any water system. To combat both effectively, we use the purest possible brass available. An alloy of copper and zinc, brass is resistant to corrosion and calcification, which make it the perfect metal for a faucet body. Combine that with the advanced imported gravity die casting machines, which helps in achieving flawless casting quality.



Precise and immaculate machining

Accurate machining increases the value of the casting quality, simply because high degree of smoothness and precise dimensions are critical for flawless performance of the faucet. To suit the needs of the market, we use a mix imported as well as indigenous machines to maintain high precision and achieve desired shapes. A clever combination of pneumatic, hydraulic and PLC computer controlled technologies are used for the same.



Optimum electroplating

In sync with the international standards, high-quality electroplated finish is achieved with Nickel and Chrome. We use insoluble Nickel to ensure unflinching finish of the product and polished finish is achieved with optimum balance of Chrome. The international standards prescribe the use of 10 microns of Nickel and 0.3 microns of Chrome, which is maintained throughout the process.



Faultless ceramic discs

The ceramic discs are the critical part of the faucet. Highly reliable materials are used to craft these fittings. The production process is designed and executed in such a manner that the product keeps performing at its peak, at high as well as low temperatures. We also forge the critical components to improve the congruity of the material.



Amazing aerators

Aerators have a specific role to play in a faucet. They process aeration in the water and reduce its pressure. They give a pleasant feel to the user, but more importantly, they drastically reduce the amount of pressure in the water. The good part is, the users even don't realise it. Aerators in our faucets, with their finest engineering, help save the water for our next generations.



Remarkable o rings

Made of exclusively virgin grade rubber, the O-Rings and bottom gaskets of our faucets help the faucet perform at its best. These seals are designed and manufactured to such perfection that they do not get deformed even in a very long run.


Energy Saving Technology Inside



Water saving system

The taps equipped with the water saving system have a flow limiter that, by mixing air and water, is able to reduce water and energy consumption (boiled), without affecting comfort.

In our water saving faucets, we have a flow limiter able to mix air and water. In this way, we can reduce the water and energetic consumptions, without losing comfort.



Energy saving system

Energy saving technology allows rotation of the mixing lever only form right to left.

Therefore, the starting point of the lever (Always and only in the centre) prevents the accidental call of hot water and the consequent priming of the boiler.

This allows advantages both in terms of energy and in terms of the duration of the boilers.



Ceramic Cartridge

All single lever are fitted with European cartridges to ensure outstanding & leaking performance.

Fluid Flow Aerators

Foam flow faucets in all ranges are fitted with world leader, NEOPERL- made Germany, honeycomb aerators that mix air with water to form a stream of aerated water (foam flow) which does not splash or spill.

Premium Finishes

All Parin faucets are made with double plated finish and hand polished to perfection.

Comfortable Handle

All Parin faucets operates so smooth with an action to naturally they also offer precise control of flow and temperature.

DISCLAIMER: The photographs and articles in the catalogue may be subject to minor or major modifications made for the sole purpose of improving the product, or it may no longer be in production. As the catalogues are printed in advance of the actual distribution of the item, it is not always possible to provide detailed descriptions of the specific parts. The photographic reproductions of the colour shades may not match the actual product hue perfectly.

The information and characteristics specified in this catalogue are not binding Parin, which reserves the right to make any changes without prior notice or any obligation to update.



We set the standard for design and dependability.

Upvc, Cpvc, Agriculture, SWR, Pipes & Fittings









SWR



Ball Valve



